



Item no.: FKUv 1663

Spacious display cooler

With stainless steel exterior



Dimensions, volume and weight

Net volume	130 l
Gross volume	148 l
External dimensions (WxDxH)	600 x 615 x 830 mm
Internal dimensions (WxDxH)	440 x 435 x 670 mm
Package dimensions (WxDxH)	615 x 709 x 875 mm
Gross Weight	45 kg
Net weight	42 kg

Performance and consumption

Cooling temperature interval	1 to 15 °C
Climate class	CC2
Energy consumption (kWh/year)	353 kWh/year
Energy consumption (kWh/day)	0.97 kWh/day
Noise level	45 dB(A)
Temperature class	K4
Execution	Ventilated

Technical cooling specifications

Defrosting	Automatic
Refrigerant	R600a

Connection

Input power	120 W
Frequency	50 Hz
Phases	1
Current	1 A
Voltage	230 V

Design and materials

Door	Hinged glass door
Reversible door	Yes
Exterior	Stainless steel
Doors, numbers	1 pcs.
Handels	Yes
Interior	Polystyrol, silver
Controller	Electronic
Horizontal light, no.	1 pcs.
Door, features	Self-close
Internal light	Yes
Horizontal light, type	LED light at the top

Equipment

Number of shelfes	3 pcs.
Feet and legs	Adjustable screws
Shelf, type	Wire shelf
Lock	Mechanical

Accessories, Pans

Approvals and standards

EEl indeks	31.9 %
------------	--------

Energy classification	C
-----------------------	---