



Oslo series

Item no.: OSC 100S

Convenience cooler with a straight front glass

Ventilated cooling and electronic control



Dimensions, volume and weight

Net volume	281 l
External dimensions (WxDxH)	950 x 755 x 1365 mm
Internal dimensions (WxDxH)	894 x 640 x 730 mm
Package dimensions (WxDxH)	1050 x 950 x 1600 mm
Display area	0.95 m²
Gross Weight	225 kg
Net weight	210 kg

Performance and consumption

Cooling temperature interval	-1 to 5 °C
Climate class	3
Energy consumption (kWh/year)	3103 kWh/year
Energy consumption (kWh/day)	8.5 kWh/day
Noise level	60 dB(A)
Temperature class	M1
Execution	Ventilated

Technical cooling specifications

Defrosting	Automatic
Refrigerant, charge	140 g
Refrigerant	R290

Connection

Input power	800 W
Frequency	50 Hz
Phases	1
Current	1.9 A
Voltage	230 V

Design and materials

Door	Sliding glass door
Reversible door	No
Exterior	Black / RAL 9005
Doors, numbers	2 pcs.
Panel type	Glass
Interior	Black
Light, effect	44 W
Controller	Electronic
Horizontal light, no.	4 pcs.
Door, features	Soft-close and self-close
Horizontal light, type	LED light at the top and under the shelf

Equipment

Number of shelves	3 pcs.
Shelf, width	890 mm
Shelf, depth	450 mm
Bottom shelf, width	890 mm
Bottom shelf, depth	500 mm
Feet and legs	Adjustable screw feet
Shelf, type	Glass shelf

Accessories, Pans

Approvals and standards

EEl indeks	45 %
Energy classification	D