



Oslo series

Item no.: OSC 140S

Modular convenience cooler with a straight front glass

Electronic control and ventilated cooling



Dimensions, volume and weight

Net volume	440 l
External dimensions (WxDxH)	1450 x 755 x 1365 mm
Internal dimensions (WxDxH)	1394 x 640 x 730 mm
Package dimensions (WxDxH)	1650 x 950 x 1600 mm
Display area	1.45 m ²
Gross Weight	310 kg
Net weight	290 kg

Performance and consumption

Cooling temperature interval	-1 to 5 °C
Climate class	3
Energy consumption (kWh/year)	3833 kWh/year
Energy consumption (kWh/day)	10.5 kWh/day
Noise level	60 dB(A)
Temperature class	M1
Execution	Ventilated

Technical cooling specifications

Defrosting	Automatic
Refrigerant, charge	155 g
Refrigerant	R290

Connection

Input power	1021 W
Frequency	50 Hz
Phases	1
Current	4.4 A
Voltage	230 V

Design and materials

Door	Sliding glass door
Reversible door	No
Exterior	Black / RAL 9005
Doors, numbers	2 pcs.
Panel type	Glass
Handels	Yes
Interior	Black
Light, effect	72 W
Controller	Electronic
Horizontal light, no.	4 pcs.
Door, features	Soft-close and self-close
Horizontal light, type	LED light at the top and under the shelf

Equipment

Number of shelves	3 pcs.
Shelf, width	1390 mm
Shelf, depth	450 mm
Bottom shelf, width	1390 mm
Bottom shelf, depth	500 mm
Feet and legs	Adjustable screw feet
Shelf, type	Glass shelf

Approvals and standards

EEl indeks

41 %

Energy classification

D